

Message

From: Juett, Lynn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2FE22EFF4C48461CBD2504C76C7BC847-SLUGANTZ, LYNN]
Sent: 11/15/2019 4:15:13 PM
To: Pessetto, Jared (Pessetto.Jared@epa.gov) [Pessetto.Jared@epa.gov]
Subject: FW: Congressional regarding Vogel Paint
Attachments: Congressional AL-20-000-1165.pdf

Thank You,

Lynn M Juett

Chief, Remediation Branch
Superfund and Emergency Management Division
US EPA Region 7
11201 Renner Blvd, Lenexa, KS 66219
913-551-7883 (desk)
913-948-1129 (cell)
Juett.lynn@epa.gov

From: Juett, Lynn
Sent: Friday, November 15, 2019 9:39 AM
To: Garufi, Katherine <Garufi.Katherine@epa.gov>; Hovis, Jennifer <Hovis.Jennifer@epa.gov>; Wilson, Karl <Wilson.Karl@epa.gov>; Ammon, Doug (Ammon.Doug@epa.gov) <Ammon.Doug@epa.gov>; Fisher, Susan <Fisher.Susan@epa.gov>
Cc: Mehta, Sandeep <mehta.sandeep@epa.gov>
Subject: FW: Congressional regarding Vogel Paint

All – I wanted to share with you the attached congressional inquiry regarding the Vogel Paint site in Orange City, IA. Region 7 would like to have a discussion with you next week to discuss a few of the technical/policy aspects brought up in the inquiry – specifically EPA's policy/practices on sharing draft Five Year Review Reports with PRPs and then of course the groundwater point of compliance issue.

I will send a separate email with a link to the latest Five Year Review for Vogel Paint which is referenced frequently in the inquiry. In that email I will also attach files of the GW ROD and ESDs.

Thank You,

Lynn M Juett

Chief, Remediation Branch
Superfund and Emergency Management Division
US EPA Region 7
11201 Renner Blvd, Lenexa, KS 66219
913-551-7883 (desk)
913-948-1129 (cell)
Juett.lynn@epa.gov

From: Hays, Marilyn <hays.marilyn@epa.gov>
Sent: Thursday, November 14, 2019 4:26 PM
To: Juett, Lynn <Juett.Lynn@epa.gov>
Cc: Nelson, Jonathan <nelson.jonathan@epa.gov>
Subject: Congressional regarding Vogel Paint